

CUSTOMER DRAWING

CATALOG #		3FB3
ECN#	APPRVD	DATE
/	PJO	28FEB12

SAFETY ORGANIZATIONS

THIS FILTER HAS BEEN FORMALLY RECOGNIZED, CERTIFIED OR APPROVED BY THE LISTED AGENCY. THEREFORE, ALL TEST/REQUIREMENTS SPECIFIED IN THE LATEST REVISION OF THE FOLLOWING AGENCY STANDARDS HAVE BEEN MET:
 UL RECOGNIZED: UL 1283
 UL LISTED: UL 935
 CSA CERTIFIED: CSA C22.2 No. 8
 VDE APPROVED: EN 60939-2

OPERATING SPECIFICATIONS

LINE CURRENT/VOLTAGE: 3.0 AMP/50°C, 277 VAC 50-60Hz (UL&CSA)
 3.0 AMP/50°C, 277 VDC (UL&CSA)
 3.0 AMP/50°C, 250 VAC 50-60Hz (VDE)
 3.0 AMP/50°C, 250 VDC (VDE)

MAXIMUM LEAKAGE CURRENT,
 EACH LINE TO GROUND: 0.28 mA @ 277V 60Hz
 0.21 mA @ 250V 50Hz

OPERATING AMBIENT TEMP. RANGE: -10°C TO +50°C @ RATED CURRENT, I_r.

IN AN AMBIENT, T₀, HIGHER THAN 50°C, THE MAXIMUM OPERATING CURRENT, I₀, IS AS FOLLOWS:

$$I_0 = I_r \sqrt{\frac{85 - T_0}{35}}$$

RELIABILITY SPECIFICATIONS:

STORAGE TEMPERATURE: -40°C TO +85°C
 HUMIDITY: 21 DAYS @ 40°C 95% RH.
 CURRENT OVERLOAD TEST: 6 TIMES I_r FOR 8 SECONDS

TEST SPECIFICATIONS:


INDUCTANCE: 0.42 mH NOMINAL (WHITE)
 0.49 mH NOMINAL (BLACK)
 CAPACITANCE: (MEASURED @ 1 kHz, 0.250VAC MAX., 25°C±1°C)
 LINE TO GROUND: 0.0044uF ± 20 %
 LINE TO LINE: 0.33uF ± 20 %
 DISCHARGE RESISTOR: 1 MEGOHM
 L/G AND L/L I.R.
 NO DISCHARGE RESISTOR: 6000MEGOHM (MIN.) 100VDC 20°C AND 50% RH

RECOMMENDED RECEIVING INSPECTION HIPOT:


LINE TO GROUND: 2300 VDC FOR 1 MINUTE
 LINE TO LINE: 1853 VDC FOR 1 MINUTE

FILTER APPROVAL:

THE BEST WAY TO SELECT AND QUALIFY A FILTER IS FOR YOUR ENGINEERING TO TEST THE UNIT IN YOUR EQUIPMENT.



ELECTRICAL SCHEMATIC




50 Ω - 50 Ω (MINIMUM) INSERTION LOSS

FREQUENCY MHz	.03	.05	.1	.15	.5	1.0	2.0	5.0	10	20	30	/
COMMON dB	0	1	6	8	20	26	33	41	41	47	50	/
DIFF. dB	6	10	17	21	37	47	54	54	48	44	42	/

PARTS SHALL COMPLY WITH TYCO ELECTRONICS 138-702 SPECIFICATION FOR HAZARDOUS SUBSTANCES

UNLESS OTHERWISE SPECIFIED
 TOLERANCE TO BE ±0.025
 MATERIAL & FINISH: AS SUPPLIED

NOTES:



RFI FILTER

TYCO ELECTRONICS PART NO. 9-1609095-0			
SCALE: 1:1	DATE: 24MAY11	DRAWING NUMBER: 3FB3	REV. 3
DRW. BY: LJD	DRIG: PJO		

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

3FB303.ekd