

# Europa Terminal Strips

## Divisible, Type 4

# appliance TERMINALS


IEC	400 V	17.5 A	0.75 - 1.5 mm <sup>2</sup> 0.75 - 1.0 mm <sup>2</sup> (Stranded) 0.75 - 1.0 mm <sup>2</sup> (DS)
UL	250 V 600 V (With spacer)	20 A (Factory) 15 A (Field) 10 A (DS)	20 - 14 AWG 22 - 16 AWG (DS)
CSA	300 V 600 V (With spacer)	10 A	22 - 16 AWG



Wire Strip Length 4.5 mm  
Screw Size M2.5

GW (glow wire) parts use a material with higher flame resistance according to DIN60335-1.

Approvals:



### Type 4 E without wire protection

Box Qty	G	T	Pole
5000	6	-	1
2000	14	8	2
2000	22	16	3
2000	30	24	4
1000	38	32	5
1000	46	40	6
500	54	48	7
500	62	56	8
500	70	64	9
500	78	72	10
500	86	80	11
500	94	88	12
		Spacer	1000mm

### without wire protection      without wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.304.0153.0	21.304.0157.0		
21.304.0253.0	21.304.0257.0		
21.304.0353.0	21.304.0357.0		
21.304.0453.0	21.304.0457.0		
21.304.0553.0	21.304.0557.0		
21.304.0653.0	21.304.0657.0		
21.304.0753.0	21.304.0757.0		
21.304.0853.0	21.304.0857.0		
21.304.0953.0	21.304.0957.0		
21.304.1053.0	21.304.1057.0		
21.304.1153.0	21.304.1157.0		
21.304.1253.0	21.304.1257.0		
07.469.1380.0	07.469.1380.0		

### Type 4 E DS with wire protection

Box Qty	G	T	Pole
5000	6	-	1
2000	14	8	2
2000	22	16	3
2000	30	24	4
1000	38	32	5
1000	46	40	6
500	54	48	7
500	62	56	8
500	70	64	9
500	78	72	10
500	86	80	11
500	94	88	12
		Spacer	1000mm

### with wire protection      with wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.305.0153.0	21.305.0157.0		
21.305.0253.0	21.305.0257.0		
21.305.0353.0	21.305.0357.0		
21.305.0453.0	21.305.0457.0		
21.305.0553.0	21.305.0557.0		
21.305.0653.0	21.305.0657.0		
21.305.0753.0	21.305.0757.0		
21.305.0853.0	21.305.0857.0		
21.305.0953.0	21.305.0957.0		
21.305.1053.0	21.305.1057.0		
21.305.1153.0	21.305.1157.0		
21.305.1253.0	21.305.1257.0		
07.469.1380.0	07.469.1380.0		

\*Other pole counts available for jumpers & spacers  
Subject to change without notice

# Europa Terminal Strips

## Divisible, Type 6

# appliance TERMINALS

IEC	400 V	24 A	1.0 - 4 mm <sup>2</sup>
	690 V (H)		1.0 - 2.5 mm <sup>2</sup> (Stranded)
UL	300 V	20 A (Factory)	22 - 12 AWG
	600 V (With spacer)	15 A (DS)	22 - 14 AWG (DS)
		15 A (H)	22 - 14 AWG (H)
CSA	300 V	20 A	22 - 14 AWG
	600 V (With spacer)		





Wire Strip Length 5.5 mm  
Screw Size M3

GW (glow wire) parts use a material with higher flame resistance according to DIN60335-1.

Approvals:



\*High Height (H) versions are not CSA approved



### Type 6 E without wire protection

Box Qty	G	T	Pole
1500	7	-	1
1500	17	10	2
1500	27	20	3
1000	37	30	4
500	47	40	5
500	57	50	6
50	67	60	7
50	77	70	8
50	87	80	9
50	97	90	10
250	107	100	11
250	117	110	12
		Jumper	12
		Spacer	1000mm

### without wire protection

Part Number
21.310.0153.0
21.310.0253.0
21.310.0353.0
21.310.0453.0
21.310.0553.0
21.310.0653.0
21.310.0753.0
21.310.0853.0
21.310.0953.0
21.310.1053.0
21.310.1153.0
21.310.1253.0
07.250.1027.0
07.470.1380.0

### without wire protection GW (glow wire)

Part Number
21.310.0157.0
21.310.0257.0
21.310.0357.0
21.310.0457.0
21.310.0557.0
21.310.0657.0
21.310.0757.0
21.310.0857.0
21.310.0957.0
21.310.1057.0
21.310.1157.0
21.310.1257.0
07.250.1027.0
07.470.1380.0

### without wire protection H (High Height)

Part Number	Part Number
21.312.0153.0	
21.312.0253.0	
21.312.0353.0	
21.312.0453.0	
21.312.0553.0	
21.312.0653.0	
21.312.0753.0	
21.312.0853.0	
21.312.0953.0	
21.312.1053.0	
21.312.1153.0	
21.312.1253.0	
07.250.1027.0	
07.470.1380.0	

### Type 6 E DS with wire protection

Box Qty	G	T	Pole
1500	7	-	1
1500	17	10	2
1500	27	20	3
1000	37	30	4
500	47	40	5
500	57	50	6
50	67	60	7
50	77	70	8
50	87	80	9
50	97	90	10
250	107	100	11
250	117	110	12
		Jumper	12
		Spacer	1000mm

### with wire protection

Part Number
21.311.0153.0
21.311.0253.0
21.311.0353.0
21.311.0453.0
21.311.0553.0
21.311.0653.0
21.311.0753.0
21.311.0853.0
21.311.0953.0
21.311.1053.0
21.311.1153.0
21.311.1253.0
07.250.1027.0
07.470.1380.0

### with wire protection GW (glow wire)

Part Number
21.311.0157.0
21.311.0257.0
21.311.0357.0
21.311.0457.0
21.311.0557.0
21.311.0657.0
21.311.0757.0
21.311.0857.0
21.311.0957.0
21.311.1057.0
21.311.1157.0
21.311.1257.0
07.250.1027.0
07.470.1380.0

### with wire protection H (High Height)

Part Number	Part Number
21.313.0153.0	
21.313.0253.0	
21.313.0353.0	
21.313.0453.0	
21.313.0553.0	
21.313.0653.0	
21.313.0753.0	
21.313.0853.0	
21.313.0953.0	
21.313.1053.0	
21.313.1153.0	
21.313.1253.0	
07.250.1027.0	
07.470.1380.0	


\*Other pole counts available for jumpers & spacers  
Subject to change without notice

# Europa Terminal Strips

## Divisible, Type 10

# appliance TERMINALS

IEC	500 V	32 A	1.5 - 6 mm <sup>2</sup> 1.5 - 4 mm <sup>2</sup> (Stranded) 1.5 - 4 mm <sup>2</sup> (DS)
UL	300 V 600 V (With spacer)	40 A (Factory) 30 A (Field) 20 A (DS)	22 - 10 AWG 22 - 12 AWG (DS)
CSA	300 V 600 V (With spacer)	25 A	22 - 12 AWG



Wire Strip Length 6 mm  
Screw Size M3.5

GW (glow wire) parts use a material with higher flame resistance according to DIN60335-1.



### Type 10 E without wire protection

Box Qty	G	T	Pole
2000	8	-	1
1000	20	12	2
500	32	24	3
250	44	36	4
250	56	48	5
250	68	60	6
250	80	72	7
200	92	84	8
200	104	96	9
200	116	108	10
250	117	110	12
		Jumper	30
		Spacer	1000mm

### without wire protection without wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.330.5153.0	21.330.5157.0		
21.330.5253.0	21.330.5257.0		
21.330.5353.0	21.330.5357.0		
21.330.5453.0	21.330.5457.0		
21.330.5553.0	21.330.5557.0		
21.330.5653.0	21.330.5657.0		
21.330.5753.0	21.330.5757.0		
21.330.5853.0	21.330.5857.0		
21.330.5953.0	21.330.5957.0		
21.330.6053.0	21.330.6057.0		
21.330.6253.0	21.330.6257.0		
07.253.0027.0	07.253.0027.0		
07.471.1380.0	07.471.1380.0		

### Type 10 E DS with wire protection

Box Qty	G	T	Pole
2000	8	-	1
1000	20	12	2
500	32	24	3
250	44	36	4
250	56	48	5
250	68	60	6
250	80	72	7
200	92	84	8
200	104	96	9
200	116	108	10
250	117	110	12
		Jumper	30
		Spacer	1000mm

### with wire protection with wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.331.5153.0	21.331.5157.0		
21.331.5253.0	21.331.5257.0		
21.331.5353.0	21.331.5357.0		
21.331.5453.0	21.331.5457.0		
21.331.5553.0	21.331.5557.0		
21.331.5653.0	21.331.5657.0		
21.331.5753.0	21.331.5757.0		
21.331.5853.0	21.331.5857.0		
21.331.5953.0	21.331.5957.0		
21.331.6053.0	21.331.6057.0		
21.331.6253.0	21.331.6257.0		
07.253.0027.0	07.253.0027.0		
07.471.1380.0	07.471.1380.0		

\*Other pole counts available for jumpers & spacers  
Subject to change without notice

# Europa Terminal Strips

## Divisible, Type 16

# appliance TERMINALS


IEC	500 V	41 A	2.5 - 10 mm <sup>2</sup> 2.5 - 6 mm <sup>2</sup> (Stranded) 2.5 - 6 mm <sup>2</sup> (DS)
UL	300 V 600 V (With spacer)	65 A (Factory) 40 A (Factory DS) 50 A (Field) 30 A (Field DS)	22 - 8 AWG 22 - 10 AWG (DS)
CSA	300 V 600 V (With spacer)	40 A	20 - 10 AWG



Wire Strip Length 7 mm  
Screw Size M4

GW (glow wire) parts use a material with higher flame resistance according to DIN60335-1.

Approvals:



### Type 16 E without wire protection

Box Qty	G	T	Pole
200	9.5	-	1
100	23	13.5	2
50	36.5	27	3
50	50	40.5	4
50	63.5	54	5
50	77	67.5	6
40	90.5	81	7
40	104	94.5	8
20	117.5	108	9
20	131	121.5	10
250	117	110	12
		Jumper	30
		Spacer	1000mm

### without wire protection    without wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.340.5153.0	21.340.5157.0		
21.340.5253.0	21.340.5257.0		
21.340.5353.0	21.340.5357.0		
21.340.5453.0	21.340.5457.0		
21.340.5553.0	21.340.5557.0		
21.340.5653.0	21.340.5657.0		
21.340.5753.0	21.340.5757.0		
21.340.5853.0	21.340.5857.0		
21.340.5953.0	21.340.5957.0		
21.340.6053.0	21.340.6057.0		
21.340.6253.0	21.340.6257.0		
07.256.8027.0	07.256.8027.0		
07.472.1380.0	07.472.1380.0		

### Type 16 E DS with wire protection

Box Qty	G	T	Pole
200	9.5	-	1
100	23	13.5	2
50	36.5	27	3
50	50	40.5	4
50	63.5	54	5
50	77	67.5	6
40	90.5	81	7
40	104	94.5	8
20	117.5	108	9
20	131	121.5	10
250	117	110	12
		Jumper	30
		Spacer	1000mm

### with wire protection    with wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.341.5153.0	21.341.5157.0		
21.341.5253.0	21.341.5257.0		
21.341.5353.0	21.341.5357.0		
21.341.5453.0	21.341.5457.0		
21.341.5553.0	21.341.5557.0		
21.341.5653.0	21.341.5657.0		
21.341.5753.0	21.341.5757.0		
21.341.5853.0	21.341.5857.0		
21.341.5953.0	21.341.5957.0		
21.341.6053.0	21.341.6057.0		
21.341.6253.0	21.341.6257.0		
07.256.8027.0	07.256.8027.0		
07.472.1380.0	07.472.1380.0		

\*Other pole counts available for jumpers & spacers  
Subject to change without notice

# Europa Terminal Strips

## Divisible, Type 20

# appliance TERMINALS


IEC	500 V	57 A	4.0 - 16 mm <sup>2</sup> 4.0 - 10 mm <sup>2</sup> (Stranded) 4.0 - 10 mm <sup>2</sup> (DS)
UL	300 V 600 V (With spacer)	75 A (Factory) 70 A (Field) 65 A (DS)	20 - 4 AWG 22 - 6 AWG (DS)
CSA	600 V	65 A	18 - 6 AWG



Wire Strip Length 8 mm  
Screw Size M5

GW (glow wire) parts use a material with higher flame resistance according to DIN60335-1.

Approvals:



### Type 20 E without wire protection

Box Qty	G	T	Pole
200	11.5	-	1
100	26	14.5	2
50	40.5	29	3
50	55	43.5	4
50	69.5	58	5
50	84	72.5	6
50	98.5	87	7
50	113	101.5	8
20	127.5	116	9
20	142	130.5	10
250	117	110	12
		Spacer	1000mm

### without wire protection    without wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.340.3153.0	21.340.3157.0		
21.340.3253.0	21.340.3257.0		
21.340.3353.0	21.340.3357.0		
21.340.3453.0	21.340.3457.0		
21.340.3553.0	21.340.3557.0		
21.340.3653.0	21.340.3657.0		
21.340.3753.0	21.340.3757.0		
21.340.3853.0	21.340.3857.0		
21.340.3953.0	21.340.3957.0		
21.340.4053.0	21.340.4057.0		
21.340.4253.0	21.340.4257.0		
07.473.1380.0	07.473.1380.0		

### Type 20 E DS with wire protection

Box Qty	G	T	Pole
200	11.5	-	1
100	26	14.5	2
50	40.5	29	3
50	55	43.5	4
50	69.5	58	5
50	84	72.5	6
50	98.5	87	7
50	113	101.5	8
20	127.5	116	9
20	142	130.5	10
250	117	110	12
		Spacer	1000mm

### with wire protection    with wire protection GW (glow wire)

Part Number	Part Number	Part Number	Part Number
21.341.3153.0	21.341.3157.0		
21.341.3253.0	21.341.3257.0		
21.341.3353.0	21.341.3357.0		
21.341.3453.0	21.341.3457.0		
21.341.3553.0	21.341.3557.0		
21.341.3653.0	21.341.3657.0		
21.341.3753.0	21.341.3757.0		
21.341.3853.0	21.341.3857.0		
21.341.3953.0	21.341.3957.0		
21.341.4053.0	21.341.4057.0		
21.341.4253.0	21.341.4257.0		
07.473.1380.0	07.473.1380.0		

\*Other pole counts available for jumpers & spacers  
Subject to change without notice

# Marking accessories for Divisible terminal strips

## appliance TERMINALS

### Material:


White, roughened plastic, 0.8 mm thick  
Permanent temperature up to 70 °C.

Special plates to mark the terminals of clamping, solder and pluggable terminal strips are available. They can be marked before or after mounting or wiring of the terminals by using special ink Pelikan No. 32 or felt-tip pen "Feinmarker 23" by Faber Castell, or ink pen "Foliograph" by Riepe Werk Hamburg. Or they can be sealed with waterproof stamp color Pelikan type 24.

We can also supply marked plates with normal marking for larger quantities.



MARKING STRIP BZ



\*\*FOR STANDARD MARKING THE PART NUMBERS CHANGE FROM 04.0.. TO 04.6..  
EX: 04.033.0080.0 UNMARKED 04.633.0080.0 MARKED

Suitable for types	Poles	Type	Part No.	Std. Pack
4E	2	8130/ 2 BZ	04.033.0080.0	100
4E	12	8130/12 BZ	04.033.1080.0	100
4E	1 meter	8130/ MBZ	04.033.1180.0	1
6E	2	8006/ 2 BZ	04.030.0080.0	100
6E	12	8006/12 BZ	04.030.1080.0	100
6E	1 meter	8006/ MBZ	04.030.1180.0	1
10 E	2	10 E/ 2 BZ	04.070.0280.0	100
10 E	12	10E/12BZ	04.070.1280.0	100
10 E	1 meter	10 E/MBZ	04.070.1380.0	1
16 E	2	16 E/ 2 BZ	04.090.0280.0	100
16 E	12	16 E/12 BZ	04.090.1280.0	100
16 E	1 meter	16 E/MBZ	04.090.1380.0	1
20E	2	8016 / 2 BZ	04.080.0080.0	100
20E	12	8016/12 BZ	04.080.1080.0	100
20E	1 meter	8016/ MBZ	04.080.1180.0	1

\*\*Other pole counts available