Quick Reference
Search by part #
780601F00000 go


Products
Browse Products
-By Device-
-By Product Line-
-Attachment Methods
-Interface Materials-
-Accessories-


Useful Links
MSDS Safety Sheets
How to order?
Find Sales Associate
Find Distributor
Sample Request
Quote Request
Catalog Request
Building a part #
Part # Cross Ref

Products | The Max Clip System™ | Search Result

78060

This part is in stock!	
Inventory Snapshot:	172.19997 feet* (Last Updated March 23, 2010)
*Current inventory on hand, listed in FEET. Due to fluctuating demand for material, contact your local sales rep to confirm availability, specifically for production volumes.	

	Part Number	Thermal Resistance °C/W at 3in length	Width in	Height in	Surface Area in/in	Weight lb/ft	Part Class
	78060	4.17	1.18	1.77	16.8	0.70	**A**



Need a Clip?
Select the package to be cooled


Package Cooled	TO220
	Search


Thermal Curves
based on 3.000 in length

New Length 3.000 in mm


Change Length


Natural Convection





Forced Convection





Building a Part Number

Full Bar Length = 8.20ft

Base Part #	Bar Length	Finish	Length (use zeros for full or half bars)

78060	1 Full	F Unfinished	0 0 0 0 0
	2 Half	F Unfinished	0 0 0 0 0
	3 Custom	B Black Anodized C Gold Chromate U* Unfinished V AavSHIELD^3	*indicate length **in inches** to three decimal places;* 1 5 2 5 0 = 15.250 "

78060 ___ ___ _ _ _ _ _

*For unfinished extrusions with cut lengths other than half bar, the finish designation is a U.

Standard Aavid Thermalloy parts require all 12 positions to be complete.

Non-Standard Extrusions

Aavid Thermalloy has over 10,000 extrusion profile designs on file, most with the extrusion die already available. These parts have minimum order requirements and longer lead times, but may be cost effective compared to a new design.

Customizing & Advanced Capabilities

We offer several options for those applications which require a more unique solution. Challenge us with your thermal requirements - we can design custom solutions.

www.Aavid.com • Sitemap • Disclaimer Statement • ©2010 Aavid Thermalloy, LLC
Aavid Thermalloy • Aavid Solar • Aavid Data Center Cooling • Applied Thermal Technologies